

NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL

SRC Sports Club


POST SRINIVASNAGAR, MANGALORE – 575 025 (D K)

Phone: (0824) 2474000.

Fax: (0824) 2474033

E- mail: info@nitk.ac.in

Website: <http://www.nitk.ac.in>



NOTICE INVITING QUOTATION

Notification. No: NITK/EWC/A2/2023-24/01

Dated: 29/12/2023

Name of Goods	Cricket Kits
Estimated Amount:	Rs. 1,90,000/- with GST
Time for Supply of item after release of Purchase order	15 days
Document Download / Sale Start Date	30/12/2023, 03:00 PM
Clarification Start Date	30/12/2023, 03:00 PM
Clarification End Date	06/01/2023, 03:00 PM
Bid Submission Start Date	30/12/2023, 03:00PM
Last Date for submission of bids	16/01/2024, before 3.00 PM
Bid Opening Date	16/01/2024, 03:30 PM
Address for Submission of bids [Type Address of the Department and Contact Person Details with Phone Number]	Dr. Selvakumar Murugesan Department of Metallurgical and Materials Engineering Phone- +919019227490 murugesan_selva@nitk.edu.in



NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA, SURATHKAL
DEPARTMENT OF METALLURGICAL AND MATERIALS ENGINEERING

POST SRINIVASNAGAR, MANGALORE – 575 025

Phone: (0824) 2474000

E- mail: info@nitk.ac.in

Fax: (0824) 2474033

Website: <http://www.nitk.ac.in>

Notification No: NITK/EWC/A2/2023-24/01

Date: 29/12/2024

NOTICE INVITING QUOTATION (NIQ)

The National Institute of Technology Karnataka, Surathkal (in short – NITK, Surathkal) is an Institute Of National Importance Under Ministry of Education Govt of India, imparting Technical Education and engaged in Research Activities. It is proposed to procure the items for the departmental academic/research activities.

Sealed Quotations as per the Price Schedule given in this NIQ are invited for the following items subject to the terms and conditions, from the reputed manufacturers or its authorised dealers so as to reach on or before scheduled date and time. The quotations in the firm's Business letter head should be address to the "Director, NITK, Surathkal". The envelope shall be superscribed with the Quotation Notification Number and the Name of the Goods for which quotation is submitted.

Name of Goods	Cricket Kits
Estimated Amount:	Rs. 1,90,000/- with GST
Time for Supply of item after release of Purchase order	15 days
Document Download / Sale Start Date	30/12/2023, 03:00 PM
Clarification Start Date	30/12/2023, 03:00 PM
Clarification End Date	06/01/2023, 03:00 PM
Bid Submission Start Date	30/12/2023, 03:00PM
Last Date for submission of bids	16/01/2024, before 3.00 PM
Bid Opening Date	16/01/2024, 03:30 PM

[Signature of HOD with Seal]

Dr. Shashikantha Koudur
Professor

School of Humanities, Social Sciences & Management
National Institute of Technology Karnataka
Surathkal, Srinivasnagar PO, Mangalore
Karnataka, India 575025
sasikant@nitk.edu.in

Note: Institute shall not be responsible for any postal delay about non-receipt /non-delivery of the bids or due to wrong addressee.

SECTION-1
Terms and Conditions

1. The rates should be quoted for preferably FOR destination from supply within India.
2. The bidder shall indicate the excise duty exemption for the goods if applicable.
3. The rate quoted should be on unit basis. Taxes and other charges should be quoted separately, considering exemptions if any. The rate should be quoted in INR only
4. Rate quoted should be inclusive of Testing, commissioning and Installation of equipment and Training.
5. Payment: No advance payment will be made. Payment will be made only after the supply of the item in good and satisfactory condition and receipt of performance security by supplier.
6. Guarantee/Warranty period should be specified for the complete period should be specified in section 3 of this tender document.
7. Period requirement for the supply and installation of item should be specified in section 3 of this tender document.
8. In case of dispute, the matter will be subject to Mangalore Jurisdiction only.
9. **Liquidated Damages:** Timely delivery is the essence of the contract and hence if the Supplier fails to deliver Goods within the original/extended delivery period(s) specified in the contract, the Institute will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 1% per week or part of the week of the delayed period as pre-estimated damages not exceeding 5% of the contract value without any controversy/dispute of any sort whatsoever.

SECTION-2
SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS
[To be filled up by the Department / Centre of NITK, Surathkal]

Item(s) Name to be Procured : Cricket Kits

Brief Specifications of the Item(s)
(Attach Additional Sheet if necessary) : Attached (As per Annexure 'A')

Quantity : Multiple

Any other details / requirement : Nil

Warranty Period required : NA

Delivery Schedule expected
after placement of Purchase order
(in Weeks) : 2 weeks

**SECTION 3
PRICE SCHEDULE**

[To be used by the bidder for submission of the quotation]

-
1. Item Name :
 2. Specifications
(Conforming to Schedule of requirements
Enclose additional sheets if necessary) :
 3. Currency and Unit Price :
 4. Quantity :
 5. Item Cost (Sl No. 3 * Sl. No. 4) :
 6. Taxes and Other Charges :
(i) Specify the type of taxes and duties
in percentages and also in figures.
(ii) Specify Other Charges in figures.
 7. **Warranty Period** :
(Conforming to the Schedule of requirements)
 8. Delivery Schedule :
(Conforming to the Schedule of requirements)
 9. Name and address of the Firm for
placing purchase order :
 10. Name and address of Indian authorized
agent (in case of imports only) :

Signature of the Bidder: _____

Name and Designation: _____

Business Address : _____

Place:

Date:

Seal of the Bidder's Firm

SECTION 4
CONTRACT FORM

[To be provided by the bidder in the business letter head]

1. (Name of the Supplier's Firm) hereby abide by the delivery schedule mentioned in this document for supply of the items if the purchase order is awarded.
2. The item will be supplied conforming to the specifications stated in this document without any defect and deviations.
3. Warranty will be given for the period mentioned in this document and service will be rendered to the satisfaction of NITK, Surathkal during this period.

Signature of the Bidder: _____

Name : _____

Business Address : _____

Place :

Date :

Seal of the Bidder's Firm

Annexure A

Specifications for Cricket Kits

Dear Sir/Madam,

All the products of the cricket kits should meet the following specifications. While sending a quotation, one or two photos along with the brand name, model number, QR code, online link, etc of every individual product has to be affixed in the quotation. Failure to do so, quotation will be rejected by default.

S. No	Item Name	Specifications	Unit required
1	Cricket Bat - Senior	<ul style="list-style-type: none">• English Willow Premium Grade I• 8-12 Straight long Grains (see pics below) with rounded handle made of Sarawak Combination Cane• Height - 84.45 cm, Width - 11.43 cm• Length - 3.8 cm• Edge Thickness 40 mm• curved blade• High Spine 62 mm,• Toe - 28 mm• Weight 1000-1100 gram and balanced	4 no

		<ul style="list-style-type: none"> Bats should have done Oiling and pre-knocked as well. 	
2	Bat Mallet	Wooden Bat Mallet Made of Strong premium woods without scratches	3 no
3	Leg Guard (Leg Pad) Set	<p>For right hand Adult batsman and white colour required,</p> <ul style="list-style-type: none"> Should be lightweight reversed foam and cane rods integral hdf thigh protection – mesh and PU faced 3 Piece external knee roll with vertical bolsters Duo flex contour + knee roll, Duo flex integral Shin bolster. Grade 1 protection Should have unique offset lead leg ergonomically shaped calf strap premium mesh/PU Shin bolster durable PVC instep with piping Maximum Weight 1400 Grams 	3 no

4	Batsman Hand Gloves set	<p>For right hand Adult batsman and white colour required,</p> <ul style="list-style-type: none"> • Should be cotton filled finger rolls. High density foam reinforcement for higher protection. • Should have sponge-padded polyurethane back for better fit and comfort. Extra finger protection reinforced with a thermoplastic polyurethane insert in the first two fingers of the lead hand. • Also, should have three-piece sidebars on lead hand. Leather tabs on fingertips. • Maximum Weight 350 Gram 	3 no
5	Batsman Inner Gloves set	<p>For right hand batsman and white colour required,</p> <ul style="list-style-type: none"> • Should have cotton gusset for ventilation • Should be made of premium quality PVC • Should have High quality cotton palm and back • Should have PVC reinforcement on hard-wearing areas of the palm • Should have layered dual density foam padded fingers and thumb for maximum protection and flexibility • Should have made from high absorbent, durable cotton fabric and sponge padded palm for better grip and added protection • Wide cotton cuff for the perfect fit • Maximum Weight 150 Gram 	3 no
6	Abdomen Guard	<ul style="list-style-type: none"> • Should have made from hardened plastic and shaped for maximum protection • Dimensions: 17cm x 8cm x 7cm (6.69" x 3.14" x 2.77") approx Weight : 65 grams 	3 no
7	Batsman Thigh Guard set	<p>For right hand batsman and white colour required,</p> <ul style="list-style-type: none"> • Should have made from quality PVC material with high density PU foam inside • Should have tOWEL belt and elastic straps • Should have towel back for absorption • system offering customised adjustment • Should have wide comfort-fit elasticated straps (top and bottom for both leg) to ensure a secure fit to the body • Should have fully adjustable components offering custom fitted protection • Comfort feel backing 	3 no
8	Batsman Chest Guard	<p>For right hand batsman and blue colour required,</p>	3 no

		<ul style="list-style-type: none"> • Should have made from lightweight low density foam, pre-shaped in line casing with quality material • Should have elastic hook and loop straps on top and bottom for easy adjustments • Also, should have used low density foam pre-shaped with tapered edges for the perfect moulded fit • It should also have soft absorbent toweling back • Should have shaped to give maximum protection to the chest and kidney region • Should have elastic straps on top and bottom for easy adjustments 	
9	Batsman Elbow Guard Set (right and left)	<p>For right hand batsman and white colour required, Should have following qualities</p> <ul style="list-style-type: none"> • dual layered high density foam • Pre-shaped for comfort • Soft towelling backing • Double sided sweatband and soft elasticated strap closure with secure "touch" fastening • Made from high quality PVC material • Professional protection • Specifically designed for the dynamic fielder • Made from premium quality lightweight low density foam • Its unique design protects the vulnerable forearm area • Material should be Polyvinyl Chloride (PVC) 	3 no
10	Helmet	<p>For right hand batsman and blue colour required, Should have following qualities/criteria</p> <ul style="list-style-type: none"> • Material: Outer Shell: High Impact Resistant Regular ABS shell covered with Matty cloth Inner EPS liner for increased safety Inner Mesh: Shock Resistant, Sweat Absorbent, Breathable U Foam lining to keep dry, clean and comfortable. • Face Guard: Titanium Face Guard with Moulded Ear Flap. • Durable Layered shell for increased protection • Item Dimensions L x W x H 76 x 56 x 56 cm 	3 no
11	SG 4 piece white ball box	<p>SG Club Leather Cricket Ball (White) – 12 ball per box</p> <ul style="list-style-type: none"> • The Club white ball should have high quality four-piece and made from high quality alum tanned leather 	3 no

		<ul style="list-style-type: none"> • Should be water-proofed • Should have good quality centre construction encased with layers of top quality Portuguese cork wound with 100 percent wool • Should have naturally seasoned inner core • Material should be leather • Weight of each ball should be 155-160 gram. 	
12	SG 4 piece Red ball box	<p>SG Club Leather Cricket Ball (Red) – 12 ball per box</p> <ul style="list-style-type: none"> • The Club red ball should have high quality four-piece and made from high quality alum tanned leather • Should be water-proofed • Should have good quality centre construction encased with layers of top quality Portuguese cork wound with 100 percent wool • Should have naturally seasoned inner core • Material should be leather • Weight of each ball should be 155-160 gram. • 	3 no
13	Bat Grip cone bat care	<ul style="list-style-type: none"> • Should have made from strong sheesham wood with natural varnish 	2 no
14	6 Stump (set) with 4 bails	<ul style="list-style-type: none"> • Should have sharp metal base to fix the stumps easily • Should have crafted from high-quality wood, should last and withstand the rigors of cricket gameplay. • The stumps should also offer exceptional stability, ensuring they remain upright even during fast deliveries and powerful shots. • Total 4 Bails and 6 stumps 	2 no
15	Wicket keeper hand gloves set	<p>For right hand keeper and white colour required,</p> <ul style="list-style-type: none"> • Should have made from high quality PVC cuffs • Should have rubber grip in palm facing • Should have cloth lining and light weight foam in the cuffs 	2 no
16	Wicket keeper inner gloves set	<p>For right hand keeper and blue/red colour required,</p> <ul style="list-style-type: none"> • Should have padded chamois leather palm • Should have made from premium cotton material • Should have elasticated wristband for comfort fit • Should have leather palm for fantastic comfort • Should have 2-inch hook and loop sweatband cuff providing a tremendous fit 	2 no

17	Wicket keeper abdomen guard	<ul style="list-style-type: none"> • Should have made from hardened plastic and shaped for maximum protection • Dimensions: 17cm x 8cm x 7cm (6.69" x 3.14" x 2.77") approx Weight : 65 grams 	2 no
18	Wicket keeper Leg Guard Set (Leg Pad)	<ul style="list-style-type: none"> • Should have made from premium quality polyurethane facing and wrap around it • Should have low density foam filled cane reinforced construction for added protection • Should have high density foam filled top hat • Should have high density sponge filled bolster • Should have three paneled top hat construction • Should have high-density foam padded insert in top hat • Should have PVC instep with hard-wearing piping • Should have high density foam padded with thermoplastic polyurethane insert • Should have broad foam center strip for extra shin protection 	2 no
19	Kit Bag	<p>Army Color preferred with wheels</p> <ul style="list-style-type: none"> • Should have water resistant & highly durable premium fabric • Should have rust proof cum durable zips and runners (wheels) • Should have one large main compartment in the middle and one helmet pocket at the top. • Should have separate shoe compartment having stylish branded print. • Should have two large pockets at both sides of the bag and one pocket for accessories at one side of the bag. • Should have two bottle pockets at another side of the bag, made with premium quality anti tear mesh fabric. • Should have two separate compartments for bats at backside of the bag. • Adjustable and padded shoulder straps with padded back. • Item Dimensions L x W x H 190.5 x 76.2 x 76.2 Cms 	3 no